

# Data 100

## Lecture 4: Data Cleaning & Exploratory Data Analysis

Slides by:


**Joseph E. Gonzalez, Deb Nolan, Joe Hellerstein & Fernando Perez**

[jegonzal@berkeley.edu](mailto:jegonzal@berkeley.edu)

[deborah\\_nolan@berkeley.edu](mailto:deborah_nolan@berkeley.edu)

[hellerstein@berkeley.edu](mailto:hellerstein@berkeley.edu)

[Fernando.perez@Berkeley.edu](mailto:Fernando.perez@Berkeley.edu)





Jupyter  
Notebooks

Last Week

<https://www.nbcnews.com/news/world/giant-pandas-are-no-longer-endangered-n643336>

# Pandas and Jupyter Notebooks

- Reviewed Jupyter Notebook Environment
- Introduced DataFrame concepts
  - **Series:** A named column of data with an index
  - **Indexes:** The mapping from keys to rows
  - **DataFrame:** collection of series with common index
- Dataframe access methods
  - **Filtering** on predicates and **slicing**
  - **df.loc:** location by index label
  - **df.iloc:** location by integer address
  - **groupby** & **pivot** (we will review these again today)

# Today



# Congratulations!



You have **collected**  
or **been given** a  
box of data?

What do you do next?


Question &  
Problem  
Formulation



Data  
Acquisition




Prediction  
and  
Inference



Exploratory  
Data  
Analysis




Data  
Acquisition



Exploratory  
Data  
Analysis

# Topics For Lecture Today

- Understanding the Data
  - Data Cleaning
  - Exploratory Data Analysis (EDA)
  - Basic data visualization
- Common Data Anomalies
  - ... and how to fix them



... the infinite loop of data science.



# Data Cleaning

- The process of transforming raw data to facilitate subsequent analysis
- Data cleaning often addresses
  - structure / formatting
  - missing or corrupted values
  - unit conversion
  - encoding text as numbers
  - ...
- Sadly data cleaning is a big part of data science...

- Data cleaning often addresses
  - structure / formatting
  - missing or corrupted values
  - unit conversion
  - encoding text as numbers
  - ...
- Sadly data cleaning is a big part of data science...




**Big Data  
Borat**


@BigDataBorat



Following

In Data Science, 80% of time spent prepare data, 20% of time spent complain about need for prepare data.





... the infinite loop of data science.

# Exploratory Data Analysis (EDA)

*“Getting to know the data”*

The process of **transforming**, **visualizing**, and **summarizing** data to:

- Build/confirm understanding of the data and its provenance
- Identify and address potential issues in the data
- Inform the subsequent analysis
- discover *potential* hypothesis ... (be careful)
- **EDA is an open ended analysis**
  - Be willing to find something surprising



# John Tukey


Princeton Mathematician & Statistician

## *Introduced*

- *Fast Fourier Transform*
- *“Bit” : binary digit*
- ***Exploratory Data Analysis***

## **Early Data Scientist**

Data Analysis & Statistics, Tukey 1965  
Image from LIFE Magazine



## EDA is like detective work

*“Exploratory data analysis is an attitude, a state of flexibility, a willingness to look for those things that we believe are not there, as well as those that we believe to be there.”*

Data Analysis & Statistics, Tukey 1965  
Image from LIFE Magazine



## 50 Years of Data Science D. Donoho, 2017

*“More than 50 years ago, John Tukey called for a reformation of academic statistics. In ‘The Future of Data Analysis’, he pointed to the existence of an as-yet unrecognized science, whose subject of interest was learning from data, or ‘data analysis’ ...*

50 Years of Data Science – D. Donoho

<https://www.tandfonline.com/doi/abs/10.1080/10618600.2017.1384734>

What should we look for?



# Key Data Properties to Consider in EDA

- **Structure** -- *the “shape” of a data file*
- **Granularity** -- *how fine/coarse is each datum*
- **Scope** -- *how (in)complete is the data*
- **Temporality** -- *how is the data situated in time*
- **Faithfulness** -- *how well does the data capture “reality”*

# Key Data Properties to Consider in EDA

- **Structure** -- *the “shape” of a data file*
- **Granularity** -- *how fine/coarse is each datum*
- **Scope** -- *how (in)complete is the data*
- **Temporality** -- *how is the data situated in time*
- **Faithfulness** -- *how well does the data capture “reality”*



# How are these data files formatted?

```
calls_for_service.tsv
1 CASENO OFFENSE EVENTDT EVENTTM CVLEGEND CVDOW InDbDate Block_Location
  BLKADDR City State
2 18000273 VEHICLE STOLEN 01/01/2018 12:00:00 AM 20:30 MOTOR VEHICLE THEFT
  1 01/24/2018 03:30:18 AM "1100 PARKER ST
3 Berkeley, CA
4 (37.859364, -122.288914)" 1100 PARKER ST Berkeley CA
5 17092476 BURGLARY AUTO 12/12/2017 12:00:00 AM 13:30 BURGLARY - VEHICLE
  2 01/24/2018 03:30:17 AM "2300 LE CONTE AVE
6 Berkeley
```

TSV

Tab separated values

```
calls_for_service.csv
1 CASENO,OFFENSE,EVENTDT,EVENTTM,CVLEGEND,CVDOW,InDbDate,Block_Location,BLKADDR,City,State
2 18000273,VEHICLE STOLEN,01/01/2018 12:00:00 AM,20:30,MOTOR VEHICLE THEFT,1,01/24/2018
  03:30:18 AM,"1100 PARKER ST
3 Berkeley, CA
4 (37.859364, -122.288914)","1100 PARKER ST,Berkeley,CA
5 17092476,BURGLARY AUTO,12/12/2017 12:00:00 AM,13:30,BURGLARY - VEHICLE,2,01/24/2018
  03:30:17 AM,"2300 LE CONTE AVE
6 Berkeley, CA
7 (37.874867, -122.263689)","2300 LE CONTE AVE,Berkeley,CA
8 17092534,BURGLARY AUTO,
  03:30:17 AM,"1700 STUAR
9 Berkeley, CA
10 (37.857495, -122.275256
11 17091517,THEFT MISD. (U
  03:30:11 AM,"1600 CALIF
12 Berkeley, CA
13 (37.876791, -122.280472
14 17048102,THEFT FROM AUT
```

CSV

Comma separated values

Which is the best?

```
{
  1 {
  2 "field1": "value1",
  3 "field2": ["list", "of", "values"],
  4 "myfield3": {"is_recursive": true, "a null value": null}
  5 }
```


JSON

# Comma and Tab Separated Values Files

- Tabular data where
  - records are delimited by a *newline*: “\n”, “\r\n”
  - Fields are delimited by ‘,’ (comma) or ‘\t’ (tab)
- Very Common!
- Issues?
  - Commas, tabs in records
  - Quoting
  - ...

```
calls_for_service.csv
1 CASENO OFFENSE EVENTDT EVENTTM CVLEGEND CVDOW InDbDate Block_Location
  BLKADDR City State
2 18000273 VEHICLE STOLEN 01/01/2018 12:00:00 AM 20:30 MOTOR VEHICLE THEFT
  1 01/24/2018 03:30:18 AM "1100 PARKER ST
3
4
calls_for_service.csv
5 1 CASENO,OFFENSE,EVENTDT,EVENTTM,CVLEGEND,CVDOW,InDbDate,Block_Location,BLKADDR,City,Stat
  e
6 2 18000273,VEHICLE STOLEN,01/01/2018 12:00:00 AM,20:30,MOTOR VEHICLE THEFT,1,01/24/2018
  03:30:18 AM,"1100 PARKER ST
7
8 3 Berkeley, CA
  4 (37.859364, -122.288914)",1100 PARKER ST,Berkeley,CA
9 5 17092476,BURGLARY AUTO,12/12/2017 12:00:00 AM,13:30,BURGLARY - VEHICLE,2,01/24/2018
  03:30:17 AM,"2300 LE CONTE AVE
10 6 Berkeley, CA
  7 (37.874867, -122.263689)",2300 LE CONTE AVE,Berkeley,CA
11 8 17092534,BURGLARY AUTO,12/20/2017 12:00:00 AM,05:00,BURGLARY - VEHICLE,3,01/24/2018
  03:30:17 AM,"1700 STUART ST
12 9 Berkeley, CA
  10 (37.857495, -122.275256)",1700 STUART ST,Berkeley,CA
13 11 17091517,THEFT MISO. (UNDER $950),08/01/2017 12:00:00 AM,00:30,LARCENY,2,01/24/2018
  03:30:11 AM,"1600 CALIFORNIA ST
14 12 Berkeley, CA
  13 (37.876791, -122.280472)",1600 CALIFORNIA ST,Berkeley,CA
  14 17048102,THEFT FROM AUTO,08/13/2017 12:00:00 AM,00:40,LARCENY - FROM
```

# JavaScript Object Notation (JSON)



```
{
1  {
2      "field1": "value1",
3      "field2": ["list", "of", "values"],
4      "myfield3": {"is_recursive": true, "a null value": null}
5  }
```

The screenshot shows a code editor window with a dark background. The code is a JSON object with five lines. Line 1 is an opening curly brace. Line 2 is an opening curly brace for a nested object. Line 3 is a string key-value pair. Line 4 is a list key-value pair. Line 5 is a nested object key-value pair. The status bar at the bottom shows 'Line 5, Column 2', '4 misspelled words', 'Spaces: 4', and 'JSON'.

- Widely used file format for nested data
  - Natural maps to python dictionaries (many tools for loading)
  - Strict formatting "quoting" addresses some issues in CSV/TSV
- Issues
  - Each record can have different fields
  - Nesting means records can contain records → complicated

# XML (another kind of nested data)

```
<catalog>
  <plant type='a'>
    <common>Bloodroot</common>
    <botanical>Sanguinaria canadensis</botanical>
    <zone>4</zone>
    <light>Mostly Shady</light>
    <price>2.44</price>
    <availability>03/15/2006</availability>
    <description>
      <color>white</color>
      <petals>true</petals>
    </description>
    <indoor>true</indoor>
  </plant>
  ...
</catalog>
```



Nested structure

We will study XML later in the class

# Log data

Is this a csv file? tsv?  
JSON/XML?

```
169.237.46.168 - - [26/Jan/2014:10:47:58 -0800] "GET  
/stat141/Winter04 HTTP/1.1" 301 328  
"http://anson.ucdavis.edu/courses/" "Mozilla/4.0 (compatible; MSIE  
6.0; Windows NT 5.0; .NET CLR 1.1.4322)"
```

```
169.237.6.168 - - [8/Jan/2014:10:47:58 -0800] "GET  
/stat141/Winter04/ HTTP/1.1" 200 2585  
"http://anson.ucdavis.edu/courses/" "Mozilla/4.0 (compatible; MSIE  
6.0; Windows NT 5.0; .NET CLR 1.1.4322)"
```



Data can be **split across files**  
and **reference other data.**

# Structure: Keys

- Often data will reference other pieces of data
- **Primary key:** *the column or set of columns in a table that determine the values of the remaining columns*
  - Primary keys are unique
  - Examples: SSN, ProductIDs, ...
- **Foreign keys:** the column or sets of columns that reference primary keys in other tables.

Purchases.csv

<u>OrderNum</u>	<u>ProdID</u>	Quantity
1	42	3
1	999	2
2	42	1

Foreign Key



Orders.csv

<u>OrderNum</u>	<u>CustID</u>	Date
1	171345	8/21/2017
2	281139	8/30/2017

Products.csv

<u>ProdID</u>	Cost
42	3.14
999	2.72

Primary Key



Customers.csv

<u>CustID</u>	Addr
171345	Harmon..
281139	Main ..

Merging/joining data  
across tables

# Joining two tables

<u>OrderNum</u>	<u>ProdID</u>	Name
1	42	Gum
2	999	NullFood
2	42	Towel

X

<u>OrderId</u>	Cust Name	Date
1	Joe	8/21/2017
2	Arthur	8/14/2017

Left "key"

Right "key"

<u>OrderNum</u>	<u>ProdID</u>	Name	<u>OrderId</u>	Cust Name	Date
1	42	Gum	1	Joe	8/21/2017
1	42	Gum	2	Arthur	8/14/2017
2	999	NullFood	1	Joe	8/21/2017
2	999	NullFood	2	Arthur	8/14/2017
2	42	Towel	1	Joe	8/21/2017
2	42	Towel	2	Arthur	8/14/2017

Drop rows that don't match on the key

<u>OrderNum</u>	<u>ProdID</u>	Name
1	42	Gum
2	999	NullFood
2	42	Towel

X


<u>OrderId</u>	Cust Name	Date
1	Joe	8/21/2017
2	Arthur	8/14/2017

Left "key"


Right "key"

<u>OrderNum</u>	<u>ProdID</u>	Name
1	42	Gum
1	42	Gum
2	999	NullFood
2	999	NullFood
2	42	Towel
2	42	Towel

<u>OrderId</u>	Cust Name	Date
1	Joe	8/21/2017
2	Arthur	8/14/2017
1	Joe	8/21/2017
2	Arthur	8/14/2017
1	Joe	8/21/2017
2	Arthur	8/14/2017



Drop rows that don't match on the key



<u>OrderNum</u>	<u>ProdID</u>	Name	<u>OrderId</u>	Cust Name	Date
1	42	Gum	1	Joe	8/21/2017
2	999	NullFood	2	Arthur	8/14/2017
2	42	Towel	2	Arthur	8/14/2017

# Pandas Merge

Demo

<https://www.popsci.com/pandas-have-cute-markings-because-their-food-supply-sucks>

# Questions to ask about *Structure*

- Are the data in a standard format or encoding?
  - **Tabular data:** CSV, TSV, Excel, SQL
  - **Nested data:** JSON or XML
- Are the data organized in “records”?
  - No: Can we define records by parsing the data?
- Are the data nested? (records contained within records...)
  - Yes: Can we reasonably un-nest the data?
- Does the data reference other data?
  - Yes: can we join/merge the data
- What are the fields in each record?
  - How are they encoded? (e.g., strings, numbers, binary, dates ...)
  - What is the type of the data?

# Kinds of Data

*Note that data categorical data can also be numbers and quantitative data may be stored as strings.*

Quantitative Data

Numbers with meaning ratios or intervals.

## Examples:

- Price
- Quantity
- Temperature
- Date
- ...

Categorical Data

Ordinal

Categories with orders but no consistent meaning if magnitudes or intervals

## Examples:

- Preferences
- Level of education
- ...

Nominal

Categories with no specific ordering.

## Examples:

- Political Affiliation
- Product Type
- Cal Id
- ...



# Structure: Field Types

- **Quantitative Data:** *data with meaningful differences or ratios*
  - Continuous: weight, temperature, volume
  - Discrete: counts, ...
  - Visualization: histograms and box plots
- **Ordinal Data:** *data where relative order matters*
  - Differences between entries may not be the same
  - Examples:
    - level of education: [BS, MS, PhD]
    - Preferences: [Dislike, Like, Must Have]
  - Visualization: Bar charts (sorted)
- **Nominal Data:** *data with no numerical meaning*
  - Examples: names, political affiliation, eye color,
  - It may be encoded as numbers ...
  - Visualization: Bar charts

# Quiz

<http://bit.ly/ds100-fa18-eda>

- Price in dollars of a product?
  - (A) Quantitative, (B) Ordinal, (C) Nominal
- Star Rating on Yelp?
  - (A) Quantitative, (B) Ordinal, (C) Nominal
- Date an item was sold?
  - (A) Quantitative, (B) Ordinal, (C) Nominal
- What is your Credit Card Number?
  - (A) Quantitative, (B) Ordinal, (C) Nominal

# Quiz

<http://bit.ly/ds100-fa18-eda>

- Price in dollars of a product?
  - (A) Quantitative, (B) Ordinal, (C) Nominal
- Star Rating on Yelp?
  - (A) Quantitative, (B) Ordinal, (C) Nominal
- Date an item was sold?
  - (A) Quantitative, (B) Ordinal, (C) Nominal
- What is your Credit Card Number?
  - (A) Quantitative, (B) Ordinal, (C) Nominal

# Key Data Properties to Consider in EDA

- **Structure** -- *the “shape” of a data file*
- **Granularity** -- *how fine/coarse is each datum*
- **Scope** -- *how (in)complete is the data*
- **Temporality** -- *how is the data situated in time*
- **Faithfulness** -- *how well does the data capture “reality”*

# Key Data Properties to Consider in EDA

- **Structure** -- *the “shape” of a data file*
- **Granularity** -- *how fine/coarse is each datum*
- **Scope** -- *how (in)complete is the data*
- **Temporality** -- *how is the data situated in time*
- **Faithfulness** -- *how well does the data capture “reality”*

# Granularity

- What does each record represent?
  - Examples: a purchase, a person, a group of users
- Do all records capture granularity at the same level?
  - Some data will include summaries as records
- If the data are coarse how was it aggregated?
  - Sampling, averaging, ...
- What kinds of aggregation is possible/desirable?
  - From individual people to demographic groups?
  - From individual events to totals across time or regions?
  - Hierarchies (city/county/state, second/minute/hour/days)
- Understanding and manipulating granularity can help reveal patterns.

# Granularity and Keys

- The primary key defines what the record represents → Granularity
- What is the granularity of these example tables?
  - Purchases.csv: PK=(OrderNum + ProdID) → Each Item in an order
  - Orders.csv: PK = OrderNum → an order
- How might we adjust the granularity?
  - Aggregation: count, mean, median, var, groupby, pivot ...

Purchases.csv

<u>OrderNum</u>	<u>ProdID</u>	Quantity
1	42	3
1	999	2
2	42	1

Orders.csv

<u>OrderNum</u>	<u>CustID</u>	Date
1	171345	8/21/2017
2	281139	8/30/2017

Products.csv

<u>ProdID</u>	Cost
42	3.14
999	2.72

Customers.csv

<u>CustID</u>	Addr
171345	Harmon..
281139	Main ..

# Reviewing Group By and Pivot



# Manipulating Granularity: Group By

Key Data

A	3
B	1
C	4
A	1
B	5
C	9
A	2
B	6
C	5

# Manipulating Granularity: Group By

Key Data

A	3
---	---

B	1
---	---

C	4
---	---

A	1
---	---

B	5
---	---

C	9
---	---

A	2
---	---

B	6
---	---

C	5
---	---

A	3
---	---

A	1
---	---

A	2
---	---

# Manipulating Granularity: Group By

Key Data

A	3
---	---

B	1
---	---

C	4
---	---

A	1
---	---

B	5
---	---

C	9
---	---

A	2
---	---

B	6
---	---

C	5
---	---

Split into  
Groups →

A	3
---	---

A	1
---	---

A	2
---	---

B	1
---	---

B	5
---	---

B	6
---	---

C	4
---	---

C	9
---	---

C	5
---	---

# Manipulating Granularity: Group By

Key Data

A 3

B 1

C 4

A 1

B 5

C 9

A 2

B 6

C 5

Split into  
Groups →

A 3

A 1

A 2

B 1

B 5

B 6

C 4

C 9

C 5

Aggregate  
Function →

A 6

Aggregate  
Function →

B 12

Aggregate  
Function →

C 18

# Manipulating Granularity: Group By

Key Data

A	3
B	1
C	4
A	1
B	5
C	9
A	2
B	6
C	5

Split into Groups

A	3
A	1
A	2
B	1
B	5
B	6
C	4
C	9
C	5

Aggregate Function

A	6
---	---

Aggregate Function

B	12
---	----

Aggregate Function

C	18
---	----

Merge Results

A	6
B	12
C	18

# Manipulating Granularity: Pivot

Key Key  
R C Data

A U 3

B V 1

C U 4

A V 1

B U 5


C V 9

A U 2

B V 6

D U 5

# Manipulating Granularity: Pivot



# Manipulating Granularity: Pivot

ate  
on → A U 5

ate  
on → A V 1

ate  
on → B U 5

ate  
on → B V 7

ate  
on → C U 4

ate  
on → C V 9

ate  
on → D U 5



# Manipulating Granularity: Pivot

Update  
on →

A	U	5
---	---	---

Update  
on →

A	V	1
---	---	---

Update  
on →

B	U	5
---	---	---

Update  
on →

B	V	7
---	---	---

Update  
on →

C	U	4
---	---	---

Update  
on →

C	V	9
---	---	---

Update  
on →

D	U	5
---	---	---

	U	V
A	5	1
B	5	7
C	4	9
D	5	

Need to address missing values



# Demo

<http://abcnews.go.com/Lifestyle/silly-baby-panda-falls-flat-face-public-debut/story?id=42481478>

# Key Data Properties to Consider in EDA

- **Structure** -- *the “shape” of a data file*
- **Granularity** -- *how fine/coarse is each datum*
- **Scope** -- *how (in)complete is the data*
- **Temporality** -- *how is the data situated in time*
- **Faithfulness** -- *how well does the data capture “reality”*

# Key Data Properties to Consider in EDA

- **Structure** -- *the “shape” of a data file*
- **Granularity** -- *how fine/coarse is each datum*
- **Scope** -- *how (in)complete is the data*
- **Temporality** -- *how is the data situated in time*
- **Faithfulness** -- *how well does the data capture “reality”*

# Scope

- Does my data cover my area of interest?
  - **Example:** *I am interested in studying crime in California but I only have Berkeley crime data.*
- Is my data too expansive?
  - **Example:** *I am interested in student grades for DS100 but have student grades for all statistics classes.*
  - **Solution:** *Filtering → Implications on sample?*
    - *If the data is a sample I may have poor coverage after filtering ...*
- Does my data cover the right time frame?
  - *More on this in temporality ...*

To be continued ...

In the next lecture